VOLUME 18 • AUTHOR INDEX

Acworth JP *et al.* Intravenous ketamine plus midazolam is superior to intranasal midazolam for emergency paediatric procedural sedation, **39**
Adeboye KA *et al.* The millennium celebrations, deliberate self harm. Our experience: *letter,* **76**
Ajuwon R *see* Simpson RA and Ajuwon R
Al-Hity W, Playforth MJ. Collapse, hoarseness of the voice and swelling and bruising of the neck: an unusual presentation of thoracic aortic dissection, **508**
Al-Janabi T, Brown R. Emergency presentation of oesophageal carcinoma. An unusual case, **142**
Andrews R *see* Edwards A and Andrews R
Angelini K *see* Goodacre S *et al*
Antoun N *see* Smith OD *et al*
Armstrong B *see* Watts BL and Armstrong B
Arnold J *see* Goodacre S *et al*
Ashworth HL *et al.* Treatment before transfer: the patient with burns, **349**
Aujla K *see* Wyatt J and Aujla K
Aussedat M *see* Greingor JL *et al*
Ayshford CA *see* Uppal HS *et al*

Bache J. Establishing an emergency nurse practitioner service, **186**
Balan KK *see* McGlone BS and Balan KK
Baskerville JR *et al.* Toluene induced hypokalaemia: case report and literature review, **514**
Beattie TF *see* White PM *et al*
Beattie TF *et al.* The association between deprivation levels, attendance rate and triage category of children attending a children's accident and emergency department, **110**
Beckett MW *see* Somers LJ *et al*
Benger JR, McCabe SE. Burns and scalds in pre-school children attending accident and emergency: accident or abuse?, **172**
Bentley A *see* Murphy R *et al*
Berry K *see* Makwana N *et al*
Bird H *see* Woodcock SAA *et al*
Black JJM *et al.* Clearing the cervical spine in the unconscious trauma patient: *letter,* **233**
Blain C *see* Huntley JS *et al*
Bleetman A *see* Sunderamoorthy D *et al*
Bolton P. The immediate impact of the availability of general practitioner services on emergency department presentations: *letter,* **321**
Book reviews Albert T. A-Z of medical writing, **323**
Cameron P, Jelinek G, Kelly A-M, Murray L, Heyworth J, *editors.* Textbook of adult emergency medicine, **322**
Currie D, Ritchie E, Scott S. The management of head injuries—a practical guide for the emergency room, **323**
Horst HM, Karmy-Jones R, *editors.* Self-assessment colour review of general critical care, **414**
Langstaff D, Christie J, *editors.* Trauma care. A team approach, **414**
reading list, **149**
Tham TCK, Collins JSA. Gastrointestinal emergencies, **523**
Wijdicks EFM. Neurologic catastrophes in the emergency department, **322**
Bowdler DA *see* Persaud RAP *et al*
Boyce SH *see* Quigley MA and Boyce SH
Boyd J *see* White PM *et al*
Bramley DC, Ghosh S. Tension pneumocephalus attributable to an ethmoid osteoma presenting as a stroke in evolution: an unusual presentation, **317**
Breakell A, Townsend-Rose C. The clinical evaluation of the Respi-check mask: a new oxygen mask incorporating a breathing indicator, **366**
Brear G *see* Murphy R *et al*
Brenchley J *see* Walker A *et al*
see Wright KD *et al*
Bridge P *see* Cooke MW *et al*
Broadley PS *see* Gilchrist JA *et al*
Brooks RA *see* Black JJM *et al*
Brown AFT. Anaphylaxis: quintessence, quarrels, and quandaries: *editorial,* **328**
Brown R *see* Al-Janabi T and Brown R
see Thompson P *et al*
Brown R, Warwick J. Blue calls—time for a change?, **289**
Burgess BJ. Epidural abscess after dental extraction, **231**
Burke D *see* Simpson AN *et al*
Burriel L *see* Gillies J *et al*
Butler JM *et al.* An observational survey of emergency department rapid sequence intubation, **343**

Cadamy AJ *see* Wright KD *et al*
Caldicott DGE, Edwards N. Traumatic brain injury after a motor vehicle accident: Fact or "fantasy"?, **458**
Calinas-Correia J *see* Kennedy J *et al*
Cameron PA *see* Harris T *et al*
Campbell AC *see* Sinha S *et al*
Capewell S, Quinney D. What future for chest pain observation units?: *editorial,* **3**
Caplan M *see* Gleeson CE *et al*
Carrigan T *see* Hunt I *et al*
Carroll G *see* Seeley HM *et al*
Chakrabarti S *see* Dennis M *et al*
Chambers J *see* Huggon AM *et al*
Chan L *see* Reid C and Chan L
Chan Y-T *see* Yuen M-C *et al*
Chillala S *et al.* An unusual case of subdural haematoma presenting to the accident and emergency department, **308**
Clancy M *see* Black JJM *et al*
see Butler JM *et al*
see Robinson N and Clancy M
Clancy M *et al.* In patients with head injuries who undergo rapid sequence intubation using succinylcholine, does pretreatment with a competitive neuromuscular blocking agent improve outcome? A literature review, **373**
Clancy MJ. A new way of demonstrating how close the evidence is to the question you asked: *editorial,* **419**
Position statements, **329**
Clark RC *see* Acworth JP *et al*
Clegg GR *et al.* A new system for digital image acquisition, storage and presentation in an accident and emergency department, **255**
Coats TJ *see* Mackay CA *et al*
Coats TJ, Michalis S. Mathematical modelling of patient flow through an accident and emergency department, **190**
Cocks RA, Lam NYL. book reviews, **149**
Coleman P *et al.* Will alternative immediate care services reduce demands for non-urgent treatment at accident and emergency?, **482**
Cooke MW. Emergency care—in and out of hospital: *editorial,* **235**
Cooke MW *et al.* book reviews, **323**
Cowen ME *see* Ngaage DL and Cowen ME
Crane S *see* Gaffney P *et al*
Crane SD *et al.* The role of non-invasive ventilation in the emergency department: *letter,* **413**
Creed F *see* Hadida A *et al*
Crook M *see* Huggon AM *et al*
Cryer P *see* Gilligan P *et al*
Cubison TCS *see* Ashworth HL *et al*
Curtis S *see* Ryan JM *et al*
Cutts S, Morris MS. A misdiagnosed fracture of the calcaneum, **145**

Dale B *see* Mabrook AF and Dale B
Dargan P *see* Karim A *et al*
Dargan PI *et al.* Measuring plasma paracetamol concentrations in all patients with drug overdose or altered consciousness: Does it change outcome?, **178**
Davies F. Paediatric emergency medicine: Do we need George Clooney?: *editorial,* **157**
De M, Stevenson J. Subcutaneous emphysema of upper limb, **522**
Dennis M *et al.* The psychosocial assessment of deliberate self harm: using clinical audit to improve the quality of the service, **448**
Dewar C, Morriss H. Acute myelogenous leukaemia presenting with mid-foot pain after an inversion injury, **143**
Dooris B *et al.* Intranasal diamorphine in adults: *letter,* **412**
Dorani BJ *see* Hassan I and Dorani BJ
Dörges V *et al.* Emergency airway management by non-anaesthesia house officers—a comparison of three strategies, **90**
Driscoll P *see* Butler JM *et al*
see Murphy R *et al*
see Murphy R *et al*
see Wardrope J and Driscoll P
Driscoll P, Lecky F. Article 5. An introduction to estimation—2: from z to *t*, **65**
Article 6. An introduction to hypothesis testing. Parametric comparison of two groups—1, **124**
Article 7. An introduction to hypothesis testing. Parametric comparison of two groups—2, **214**
Article 8. An introduction to hypothesis testing. Non-parametric comparison of two groups—1, **276**
Dudley M *see* Gilligan P *et al*
Dukes IK. Emergency medicine or accident and emergency?: *letter,* **412**
Durham S *see* McGlone R *et al*
Dykes E *see* Persaud RAP *et al*

Edwards A, Andrews R. A case of Brown-Sequard syndrome with associated Horner's syndrome after blunt injury to the cervical spine, **512**
Edwards N *see* Caldicott DGE and Edwards N
Ellenbogen S *see* Woodcock SAA *et al*
Elliott MW *see* Crane SD *et al*

VOLUME 18 • AUTHOR INDEX

Acworth JP *et al.* Intravenous ketamine plus midazolam is superior to intranasal midazolam for emergency paediatric procedural sedation, **39**
Adeboye KA *et al.* The millennium celebrations, deliberate self harm. Our experience: *letter,* **76**
Ajuwon R *see* Simpson RA and Ajuwon R
Al-Hity W, Playforth MJ. Collapse, hoarseness of the voice and swelling and bruising of the neck: an unusual presentation of thoracic aortic dissection, **508**
Al-Janabi T, Brown R. Emergency presentation of oesophageal carcinoma. An unusual case, **142**
Andrews R *see* Edwards A and Andrews R
Angelini K *see* Goodacre S *et al*
Antoun N *see* Smith OD *et al*
Armstrong B *see* Watts BL and Armstrong B
Arnold J *see* Goodacre S *et al*
Ashworth HL *et al.* Treatment before transfer: the patient with burns, **349**
Aujla K *see* Wyatt J and Aujla K
Aussedat M *see* Greingor JL *et al*
Ayshford CA *see* Uppal HS *et al*

Bache J. Establishing an emergency nurse practitioner service, **186**
Balan KK *see* McGlone BS and Balan KK
Baskerville JR *et al.* Toluene induced hypokalaemia: case report and literature review, **514**
Beattie TF *see* White PM *et al*
Beattie TF *et al.* The association between deprivation levels, attendance rate and triage category of children attending a children's accident and emergency department, **110**
Beckett MW *see* Somers LJ *et al*
Benger JR, McCabe SE. Burns and scalds in pre-school children attending accident and emergency: accident or abuse?, **172**
Bentley A *see* Murphy R *et al*
Berry K *see* Makwana N *et al*
Bird H *see* Woodcock SAA *et al*
Black JJM *et al.* Clearing the cervical spine in the unconscious trauma patient: *letter,* **233**
Blain C *see* Huntley JS *et al*
Bleetman A *see* Sunderamoorthy D *et al*
Bolton P. The immediate impact of the availability of general practitioner services on emergency department presentations: *letter,* **321**
Book reviews Albert T. A-Z of medical writing, **323**
Cameron P, Jelinek G, Kelly A-M, Murray L, Heyworth J, *editors.* Textbook of adult emergency medicine, **322**
Currie D, Ritchie E, Scott S. The management of head injuries—a practical guide for the emergency room, **323**
Horst HM, Karmy-Jones R, *editors.* Self-assessment colour review of general critical care, **414**
Langstaff D, Christie J, *editors.* Trauma care. A team approach, **414**
reading list, **149**
Tham TCK, Collins JSA. Gastrointestinal emergencies, **523**
Wijdicks EFM. Neurologic catastrophes in the emergency department, **322**
Bowdler DA *see* Persaud RAP *et al*
Boyce SH *see* Quigley MA and Boyce SH
Boyd J *see* White PM *et al*
Bramley DC, Ghosh S. Tension pneumocephalus attributable to an ethmoid osteoma presenting as a stroke in evolution: an unusual presentation, **317**
Breakell A, Townsend-Rose C. The clinical evaluation of the Respi-check mask: a new oxygen mask incorporating a breathing indicator, **366**
Brear G *see* Murphy R *et al*
Brenchley J *see* Walker A *et al*
see Wright KD *et al*
Bridge P *see* Cooke MW *et al*
Broadley PS *see* Gilchrist JA *et al*
Brooks RA *see* Black JJM *et al*
Brown AFT. Anaphylaxis: quintessence, quarrels, and quandaries: *editorial,* **328**
Brown R *see* Al-Janabi T and Brown R
see Thompson P *et al*
Brown R, Warwick J. Blue calls—time for a change?, **289**
Burgess BJ. Epidural abscess after dental extraction, **231**
Burke D *see* Simpson AN *et al*
Burriel L *see* Gillies J *et al*
Butler JM *et al.* An observational survey of emergency department rapid sequence intubation, **343**

Cadamy AJ *see* Wright KD *et al*
Caldicott DGE, Edwards N. Traumatic brain injury after a motor vehicle accident: Fact or "fantasy"?, **458**
Calinas-Correia J *see* Kennedy J *et al*
Cameron PA *see* Harris T *et al*
Campbell AC *see* Sinha S *et al*
Capewell S, Quinney D. What future for chest pain observation units?: *editorial,* **3**
Caplan M *see* Gleeson CE *et al*
Carrigan T *see* Hunt I *et al*
Carroll G *see* Seeley HM *et al*
Chakrabarti S *see* Dennis M *et al*
Chambers J *see* Huggon AM *et al*
Chan L *see* Reid C and Chan L
Chan Y-T *see* Yuen M-C *et al*
Chillala S *et al.* An unusual case of subdural haematoma presenting to the accident and emergency department, **308**
Clancy M *see* Black JJM *et al*
see Butler JM *et al*
see Robinson N and Clancy M
Clancy M *et al.* In patients with head injuries who undergo rapid sequence intubation using succinylcholine, does pretreatment with a competitive neuromuscular blocking agent improve outcome? A literature review, **373**
Clancy MJ. A new way of demonstrating how close the evidence is to the question you asked: *editorial,* **419**
Position statements, **329**
Clark RC *see* Acworth JP *et al*
Clegg GR *et al.* A new system for digital image acquisition, storage and presentation in an accident and emergency department, **255**
Coats TJ *see* Mackay CA *et al*
Coats TJ, Michalis S. Mathematical modelling of patient flow through an accident and emergency department, **190**
Cocks RA, Lam NYL. book reviews, **149**
Coleman P *et al.* Will alternative immediate care services reduce demands for non-urgent treatment at accident and emergency?, **482**
Cooke MW. Emergency care—in and out of hospital: *editorial,* **235**
Cooke MW *et al.* book reviews, **323**
Cowen ME *see* Ngaage DL and Cowen ME
Crane S *see* Gaffney P *et al*
Crane SD *et al.* The role of non-invasive ventilation in the emergency department: *letter,* **413**
Creed F *see* Hadida A *et al*
Crook M *see* Huggon AM *et al*
Cryer P *see* Gilligan P *et al*
Cubison TCS *see* Ashworth HL *et al*
Curtis S *see* Ryan JM *et al*
Cutts S, Morris MS. A misdiagnosed fracture of the calcaneum, **145**

Dale B *see* Mabrook AF and Dale B
Dargan P *see* Karim A *et al*
Dargan PI *et al.* Measuring plasma paracetamol concentrations in all patients with drug overdose or altered consciousness: Does it change outcome?, **178**
Davies F. Paediatric emergency medicine: Do we need George Clooney?: *editorial,* **157**
De M, Stevenson J. Subcutaneous emphysema of upper limb, **522**
Dennis M *et al.* The psychosocial assessment of deliberate self harm: using clinical audit to improve the quality of the service, **448**
Dewar C, Morriss H. Acute myelogenous leukaemia presenting with mid-foot pain after an inversion injury, **143**
Dooris B *et al.* Intranasal diamorphine in adults: *letter,* **412**
Dorani BJ *see* Hassan I and Dorani BJ
Dörges V *et al.* Emergency airway management by non-anaesthesia house officers—a comparison of three strategies, **90**
Driscoll P *see* Butler JM *et al*
see Murphy R *et al*
see Murphy R *et al*
see Wardrope J and Driscoll P
Driscoll P, Lecky F. Article 5. An introduction to estimation—2: from z to *t*, **65**
Article 6. An introduction to hypothesis testing. Parametric comparison of two groups—1, **124**
Article 7. An introduction to hypothesis testing. Parametric comparison of two groups—2, **214**
Article 8. An introduction to hypothesis testing. Non-parametric comparison of two groups—1, **276**
Dudley M *see* Gilligan P *et al*
Dukes IK. Emergency medicine or accident and emergency?: *letter,* **412**
Durham S *see* McGlone R *et al*
Dykes E *see* Persaud RAP *et al*

Edwards A, Andrews R. A case of Brown-Sequard syndrome with associated Horner's syndrome after blunt injury to the cervical spine, **512**
Edwards N *see* Caldicott DGE and Edwards N
Ellenbogen S *see* Woodcock SAA *et al*
Elliott MW *see* Crane SD *et al*

Elwood P *see* Woollard M *et al*
Emerton DG *see* Adeboye KA *et al*
Evans A *see* Dennis M *et al*
Evans HM *see* Makwana N *et al*
Evans PA *see* Chillala S *et al*

Fleet T *see* McGlone R *et al*
Foëx BA. The problem of informed consent in emergency medicine research, **198**
Three generations of recurrent dislocated shoulders: *letter*, **148**
Fong C. Post-exposure prophylaxis for HIV infection after sexual assault: When is it indicated?, **242**
Franklin A *see* Lam F *et al*

Gaffney P *et al.* An analysis of calls referred to the emergency 999 service by NHS Direct, **302**
Gallagher MJ *see* Gilligan P *et al*
Gaunt D *see* Dooris B *et al*
Gentleman D *see* Kennedy DWG and Gentleman D
Ghosh S *see* Bramley DC and Ghosh S
Giangrande PLF *see* Minhas HL and Giangrande PLF
Gilbert PM *see* Ashworth HL *et al*
Gilchrist JA *et al.* Pancreatic trauma in a child, **146**
Gillies J *et al.* Dealing with emergencies in rural areas of Europe: proceedings from WONCA Europe 2000, **305**
Gilligan P *et al.* Popped eye (blunt trauma leading to penetrating eye injury and lens displacement in the pseudophakic eye), **510**
Gleeson CE *et al.* The mediastinum—Is it wide?, **183**
Glucksman E *see* Thompson P *et al*
Goodacre S *see* Kelly A and Goodacre S
Goodacre S *et al.* Is a chest pain observation unit likely to be cost saving in a British hospital?, **11**
Should ambulant patients be directed to reception or triage first?, **441**
Gordon CJ. The therapeutic potential of regulated hypothermia: *review*, **81**
Gordon MWG *see* Graham CA and Gordon MWG
Gorman DR *see* Beattie TF *et al*
Graff L. Chest pain observation units: *letter*, **148**
Graham CA, Gordon MWG. Status epilepticus in accident and emergency: a difficult case, **492**
Grant PT *see* Rae F *et al*
Gray A *see* Murphy R *et al*
Gray AJ *see* Crane SD *et al*
Greingor JL *et al.* Acute carbon monoxide intoxication during pregnancy. One case report and review of the literature, **399**
Grout P *see* Lynch R *et al*
Guly HR. Diagnostic errors in an accident and emergency department, **263**
Gupta V *see* Sunderamoorthy D *et al*
Guthrie E *see* Hadida A *et al*
Gwinnutt CL. The interface between anaesthesia and emergency medicine: *editorial*, **325**

Hadida A *et al.* Comparing two different methods of identifying alcohol related problems in the emergency department: a real chance to intervene?, **112**
Halford S *see* Clancy M *et al*
Hansagi H *see* Olsson M and Hansagi H
Hardern R *see* Teoh R *et al*
Harding LA *see* Gleeson CE *et al*
Hardy C *et al.* Admission avoidance and early discharge of acute hospital admissions: an accident and emergency based scheme, **435**
Harris T *et al.* The use of pre-cannulation local anaesthetic and factors affecting pain perception in the emergency department setting, **175**
Hassan I, Dorani BJ. Sports related fractures in children in north east England, **167**
Hendry GM *see* White PM *et al*
Herren KR, Mackway-Jones K. Emergency management of cardiac chest pain: a review: *review*, **6**
Heyworth J. The NHS Plan—the sound of cavalry or zebras?: *editorial*, **1**
Higgins J *see* Cooke MW *et al*
Hislop LJ *see* Wilkie SC *et al*
Hollis S *see* McGlone R *et al*
Hood S *see* Huntley JS *et al*
Hormbrey PJ *see* Khwaja HA and Hormbrey PJ
Howell MA *see* Watts BL and Howell MA
Hudson AJ, Wyatt JP. Cardiac air gun pellet injury, **519**
Hudson T *et al.* Aortic injury review failed to mention the "osseous pinch": *letter*, **77**
Huggon AM *et al.* Biochemical markers in the management of suspected acute myocardial infarction in the emergency department, **15**
Hulbert DC *see* Somers LJ *et al*
Hunt I *et al.* Toxicological screening in trauma: *letter*, **147**
Hunt IJ *see* Rust PA *et al*
Huntley JS *et al.* Improving detection of alcohol misuse in patients presenting to an accident and emergency department, **99**
Hurst M *see* White PM *et al*
Hussain S *see* Lam F *et al*
Hynes M *see* Lam F and Hynes M
Hynes M, Lam F. An unusual cause of hip pain in a child, **320**

Irons R *see* Coleman P *et al*
Ivatts S *see* Karim A *et al*
Izquierdo-Martin A *see* Wyatt J and Izquierdo-Martin A

Jenkins M *see* Johnston JJ *et al*
Johnson G *see* Gaffney P *et al*
Johnston JJ *et al.* Fireworks related injuries: does changing legislation make a difference? A thought for next Hallowe'en: *letter*, **232**
Johnston M *see* Pedley DK and Johnston M
Jones A *see* Karim A *et al*
Jones AL *see* Dargan PI *et al*
Jones J, Playforth MJ. The effect of the introduction of NHS Direct on requests for telephone advice from an accident and emergency department, **300**
Jowett A *see* Rust PA *et al*

Kapur N *see* Hadida A *et al*
Karim A *et al.* How feasible is it to conform to the European guidelines on administration of activated charcoal within one hour of an overdose?, **390**
Kavanagh M *see* Okereke CD *et al*
Kellerman J *see* Seeley HM *et al*
Kelly A, Goodacre S. Chest pain observation units: *letter*, **148**
Kelly A-M *see* Leman P and Kelly A-M
Kelly A-M. The minimum clinically significant difference in visual analogue scale pain score does not differ with severity of pain, **205**
Kelly A-M *et al.* Venous pH can safely replace arterial pH in the initial evaluation of patients in the emergency department, **340**
Kendall JM *see* Younge PA and Kendall JM
Kennedy DWG, Gentleman D. The ATLS course, a survey of 228 ATLS providers, **55**
Kennedy J *et al.* Open chest cardiac compression: *letter*, **322**
Kerr GW *et al.* Tricyclic antidepressant overdose: a review: *review*, **236**
Khanna R *see* Wyatt J and Khanna R
Khwaja HA, Hormbrey PJ. Posterior cranial fossa venous extradural haematoma: an uncommon form of intracranial injury, **496**
Kishen R *see* Murphy R *et al*
Knottenbelt JD *see* Warren NP and Knottenbelt JD
Kumar KS *et al.* Hands up: a case of bilateral inferior shoulder dislocation, **404**
Kyle E *see* Kelly A-M *et al*

Laden G *see* Lynch R *et al*
Ladhani S *see* Dargan PI *et al*
Laird C *see* Gillies J *et al*
Lam F *see* Hynes M and Lam F
Lam F, Hynes M. Epidural abscess misdiagnosed as cholecystitis, **230**
Lam F *et al.* An unusual cause of a limp in a child: developmental coxa vara, **314**
Traumatic asymmetrical bilateral hip dislocation in an adult, **506**
Lam NYL *see* Cocks RA and Lam NYL
Lecky F *see* Driscoll P and Lecky F
see Driscoll P and Lecky F
see Driscoll P and Lecky F
see Driscoll P and Lecky F
Leigh M *see* Hudson T *et al*
Leigh-Smith S. Communication skills training for emergency department doctors: *letter*, **234**
Leman P, Kelly A-M. Pain management: *letter*, **321**
Lenehan B *see* Smith M *et al*
Leonard PA *see* O'Donnell J *et al*
Lionis C *see* Gillies J *et al*
Lockey AS. Teaching and learning, **451**
Londhe S *see* Sinha S *et al*
Louis J, Younge P. The role of non-invasive ventilation in the emergency department: *letter*, **413**
Lund H *see* Gillies J *et al*
Lynch R *et al.* Carbon monoxide poisoning: correlation of neurological findings between accident and emergency departments and a hyperbaric unit, **95**

Mabrook AF, Dale B. Can nurse practitioners offer a quality service?: *letter*, **523**
McAlpine R *see* Kelly A-M *et al*
McCabe SE *see* Benger JR and McCabe SE
McClelland H *see* Walker A *et al*
McCormick S *see* Wardrope J and McCormick S
see Wardrope J and McCormick S
see Wardrope J and McCormick S
see Wardrope J and McCormick S
see Wardrope J and McCormick S
MacDonald J *see* Gillies J *et al*
McFerran DJ *see* Smith OD *et al*

McGlone BS, Balan KK. The use of nuclear medicine techniques in the emergency department: *review*, **424**
McGlone R, Smith M. Intranasal midazolam. An alternative in childhood seizures: *letter*, **234**
McGlone R *et al.* A comparison of intramuscular ketamine with high dose intramuscular midazolam with and without intranasal flumazenil in children before suturing, **34**
McGuffie AC *see* Kerr GW *et al*
Mackay CA *et al.* Prehospital rapid sequence induction by emergency physicians: Is it safe?, **20**
McKinney LA *see* Johnston JJ *et al*
Mackway-Jones K. Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **116**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **376**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **462**
Mackway-Jones K *see* Hadida A *et al*
see Herren KR and Mackway-Jones K
see Murphy R *et al*
McMorran S. Treatment of hyperkalaemia in the emergency department: *letter*, **233**
McNaughton GW *see* Shaw RJ and McNaughton GW
Made C *see* Gillies J *et al*
Maimaris C *see* Hardy C *et al*
see Seeley HM *et al*
Makwana N *et al.* Two cases of near asphyxiation in children, using non-releasing plastic garden ties, **229**
Martin A *see* Smith M *et al*
Michalis S *see* Coats TJ and Michalis S
Miller S *see* Wilkie SC *et al*
Minhas HL, Giangrande PLF. Presentation of severe haemophilia—A role for accident and emergency doctors?, **246**
Moore D *see* Makwana N *et al*
Morris F *see* Goodacre S *et al*
see Goodacre S *et al*
Morris MS *see* Cutts S and Morris MS
Morrison W *see* Thakore S and Morrison W
Morriss H *see* Dewar C and Morriss H
Moxham V, Reid C. Controlling epistaxis with an improvised device, **518**
Mummidi SK *see* Sinha S *et al*
Murphy M *see* Clancy M *et al*
Murphy N *see* Simpson T *et al*
Murphy R *et al.* Emergency oxygen therapy for the breathless patient. Guidelines prepared by North West Oxygen Group: *review*, **421**
Emergency oxygen therapy for the COPD patient: *review*, **333**
Muthu P, Pritty P. Mild head injury with isolated third nerve palsy, **310**

Nadkarni AB *see* Shweikh AM and Nadkarni AB
Naim M *see* Okereke CD and Naim M
Nayeem N *see* Huggon AM *et al*
Nee PA. Why do children vomit after head injury?: *letter*, **234**
Ngaage DL, Cowen ME. Right ventricular needle embolus in an injecting drug user: the need for early removal, **500**
Nicholl J *see* Coleman P *et al*
Nicol MF. You can't anaesthetise patients—you are not employed as an anaesthetist: *letter*, **414**
Nightingale P. Improving the care of the seriously ill patient: the interface between the accident and emergency department and critical care areas: *editorial*, **326**
Niven R *see* Murphy R *et al*
Nunes B *see* Gillies J *et al*

Ocker H *see* Dörges V *et al*
O'Donnell J *et al.* An avoidable complication of digital nerve block, **316**
O'Driscoll R *see* Murphy R *et al*
see Murphy R *et al*
O'Keefe D *see* Smith M *et al*
Okereke CD, Naim M. Mentoring senior house officers. Is there a role for middle grade doctors?, **259**
Okereke CD *et al.* The economics of appliance—a study of appliance loan in accident and emergency departments: *letter*, **523**
Olsson M, Hansagi H. Repeated use of the emergency department: qualitative study of the patient's perspective, **430**
Ong CC *see* Persaud RAP *et al*
O'Reilly J *see* Murphy R *et al*
O'Rourke S *see* Kumar KS *et al*
O'Sullivan I. Dissection or embolism, **502**

Page A-V *see* Teoh R *et al*
Patel NK *see* Ryan JM *et al*
Paul J *see* Ryan JM *et al*
Peck DF *see* Simpson T *et al*
Pedley DK, Johnston M. Death with dignity in the accident and emergency short stay ward: *letter*, **76**
Perry S *see* Rae F *et al*
Persaud RAP *et al.* Extraluminal migration of a coin in the oesophagus of a child misdiagnosed as asthma, **312**
Phair I *see* Kennedy J *et al*
Phe A *see* Seow E *et al*
Pickard JD *see* Seeley HM *et al*
Pillay JG *see* Kumar KS *et al*
Playfor S. Accident and emergency services for children within Trent region, **164**
Playforth M *see* Gaffney P *et al*
Playforth MJ *see* Al-Hity W and Playforth MJ
see Jones J and Playforth MJ
Pritty P *see* Muthu P and Pritty P
see Vikramaditya and Pritty P
Project Team of The Resuscitation Council (UK). Update on the emergency medical treatment of anaphylactic reactions for first medical responders and for community nurses, **393**
Pullinger R *see* Sood T and Pullinger R
Purdie D *see* Acworth JP *et al*

Quigley MA, Boyce SH. Unintentional rapid opioid detoxification, **494**
Quinney D *see* Capewell S and Quinney D

Raby N *see* Rae F *et al*
Rae F *et al.* The Ottawa Ankle Rule: *letter*, **147**
Read C *see* Chillala S *et al*
Reddy IS. Foreign bodies in the nose and ear: *letter*, **523**
Reid C *see* Dooris B *et al*
see Moxham V and Reid C
Reid C, Chan L. Emergency medicine terminology in the United Kingdom—time to follow the trend?: *review*, **79**
Riordan FAI. Improving promptness of antibiotic treatment in meningococcal disease, **162**
Robinson N *see* Butler JM *et al*
Robinson N, Clancy M. In patients with head injury undergoing rapid sequence intubation, does pretreatment with intravenous lignocaine/lidocaine lead to an improved neurological outcome? A review of the literature, **453**
Roebuck S *see* Clegg GR *et al*
Rosen PB *see* Baskerville JR *et al*
Rottenberg G *see* Rust PA *et al*
Ruhlmann S *see* Greingor JL *et al*
Rust P *see* Hunt I *et al*
Rust PA *et al.* Alcohol and radiographs in the accident and emergency department, **460**
Ryan JM *et al.* Clostridium novyi infection: a fatal association with injecting drug users, **138**

Saeed M *see* Wyatt J and Saeed M
Sammy I *see* Murphy R *et al*
Sarsfield B *see* Hardy C *et al*
Sauer C *see* Dörges V *et al*
Schmucker P *see* Dörges V *et al*
Sedgwick PM *see* Somers LJ *et al*
Seeley HM *et al.* Implementing the Galasko Report on the management of head injuries: the Eastern Region approach, **358**
Seow E *et al.* The pattern of ambulance arrivals in the emergency department of an acute care hospital in Singapore, **297**
Shaw RJ, McNaughton GW. Emergency airway management in a case of lingual haematoma, **408**
Shawis RN *see* Gilchrist JA *et al*
Shelly MP. A&E/ICU interface: training in intensive care medicine, **330**
Shepherd JP *see* Sivarajasingam V and Shepherd JP
Shweikh AM, Nadkarni AB. Laryngotracheal separation with pneumopericardium after a blunt trauma to the neck, **410**
Sim KM *see* Ashworth HL *et al*
Simpson AN *et al.* The Sheffield experiment: the effects of centralising accident and emergency services in a large urban setting, **193**
Simpson RA, Ajuwon R. Occult splenic injury: delayed presentation manifesting as jaundice, **504**
Simpson T *et al.* Saliva alcohol concentrations in accident and emergency attendances, **250**
Singh R, Slater N. Hallucal sesamoid bone stress fracture; 21st century "club foot", **318**
Sinha J *see* Lam F *et al*
Sinha S *et al.* Isolated fracture of the first rib without associated injuries: a case report, **315**
Siriwardena AK *see* Woodcock SAA *et al*
Sivarajasingam V, Shepherd JP. Trends in community violence in England and Wales 1995–1998: an accident and emergency department perspective, **105**
Slater N *see* Singh R and Slater N
Sloan J *see* Okereke CD *et al*
Smith A *see* Woollard M *et al*
Smith M *see* McGlone R and Smith M
Smith M *et al.* Manubriosternal joint dislocation in contact sport, **488**
Smith OD *et al.* Blunt trauma to the parotid gland, **402**
Somers LJ *et al.* Improving the delivery of analgesia to children in pain, **159**
Sood T, Pullinger R. Pneumomediastinum secondary to dental extraction, **517**

Spedding RL *see* Gleeson CE *et al*
Steedman DJ *see* Clegg GR *et al*
Stevenson J *see* De M and Stevenson J
Stewart B. Pain in young children attending the accident and emergency department: *letter*, **412**
Sudhakaran N *see* Persaud RAP *et al*
Sunderamoorthy D *et al*. TB or not TB: an unusual sore finger, **490**
Sutton G *see* Goodacre S *et al*
Swaminathan S *see* Huggon AM *et al*
Swann IJ, Walker A. Who cares for the patient with head injury now?, **352**
Syed MA *see* Uppal HS *et al*
Szabo J *see* Gillies J *et al*

Teoh R *et al*. Physostigmine as treatment for severe CNS anticholinergic toxicity: *letter*, **412**
Terris J *see* Mackay CA *et al*
Tesfayohannes B *see* Goodacre S *et al*
Thakore S, Morrison W. A survey of the perceived quality of patient handover by ambulance staff in the resuscitation room, **293**
Thompson P *et al*. Bedside emergency department ultrasound: *letter*, **76**
Tichenor GA *see* Baskerville JR *et al*
Ting JYS. Rhabdomyolysis and polydipsic hyponatraemia, **520**
Tosi JM *see* Greingor JL *et al*
Touquet R *see* Huntley JS *et al*
Townsend-Rose C *see* Breakell A and Townsend-Rose C
Tung WK *see* Yuen MC and Tung WK
Tung W-K *see* Yuen M-C *et al*
Tutt P *see* Huggon AM *et al*

Ugoni A *see* Harris T *et al*
Uppal HS *et al*. Spontaneous supraglottic haemorrhage in a patient receiving warfarin sodium treatment, **406**

Vickery D. The use of the spinal board after the pre-hospital phase of trauma management, **51**
Vikramaditya, Pritty P. Two cases of isolated first rib fracture, **498**

Wadhwani S *see* Adeboye KA *et al*
Wakefield P *see* Dennis M *et al*
Walczak J *see* Lam F *et al*
Walker A *see* Swann IJ and Walker A
see Wright KD *et al*
Walker A *et al*. The Lazarus phenomenon following recreational drug use, **74**
Walker JJ *see* Beattie TF *et al*
Wallis DN *see* Rust PA *et al*
Wallis L *see* Wyatt J and Wallis L
Walls R *see* Clancy M *et al*
Wardrope J *see* Simpson AN *et al*
Wardrope J, Driscoll P. Welcome to the *EMJ* and to EMJonline.com: *editorial*, **5**
Wardrope J, McCormick S. Article 1. Introduction—St Jude's, the "virtual" A&E department, **131**
Article 2 Strategy to every day operational management, **222**
Article 3. Complaint management, project management and broken ECG machines: all in a day's work, **283**
Article 4. Team structure, waiting time and a psychotic patient is banging on your door, **382**
Article 5. Strategic decision making, motivation theory, and junior doctor interviews, **471**
Warren NP, Knottenbelt JD. The Ottawa Ankle Rules and missed fractures of the talus, **521**
Warwick J *see* Brown R and Warwick J
Watts BL, Armstrong B. A randomised controlled trial to determine the effectiveness of double Tubigrip in grade 1 and 2 (mild to moderate) ankle sprains, **46**
Watts BL, Howell MA. Tension pneumothorax: a difficult diagnosis, **319**
Weinberg L. Use of anti-D immunoglobulin in the treatment of threatened miscarriage in the accident and emergency department, **444**
Wenzel V *see* Dörges V *et al*
White M *see* Wright KD *et al*
White PM *et al*. Magnetic resonance imaging as the primary imaging modality in children presenting with acute non-traumatic hip pain, **25**
Whitwell D *see* Hardy C *et al*
Wilkie S *see* Kerr GW *et al*
Wilkie SC *et al*. Bilateral spontaneous pneumothorax—the case for prompt chest radiography, **145**
Willett K *see* Black JJM *et al*
Wilson K *see* O'Donnell J *et al*
Wong HP *see* Seow E *et al*
Woodcock SAA *et al*. Hypopharyngeal perforation: an uncommon cause of pneumoperitoneum, **396**
Woollard M *et al*. Pre-hospital aspirin for suspected myocardial infarction and acute coronary syndromes: A headache for paramedics?, **478**
Wright J. The role of non-invasive ventilation in the emergency department: *letter*, **413**
Wright KD *et al*. Survey of the use of rapid sequence induction in the accident and emergency department: *letter*, **232**
Wyatt J, Izquierdo-Martin A. Journal scan, **225**
Wyatt J, Khanna R. Journal scan, **135**
Wyatt J, Saeed M. Journal scan, **71**
Wyatt J, Wallis L. Journal scan, **386**
Wyatt J *see* Hudson T *et al*
Wyatt J, Aujla K. Journal scan, **475**
Wyatt JP *see* Hudson AJ and Wyatt JP
Wyatt JP. The e-future of the *EMJ*: *editorial*, **420**

Yap P-G *see* Yuen M-C *et al*
Younge P *see* Louis J and Younge P
Younge PA, Kendall JM. Sedation for children requiring wound repair: a randomised controlled double blind comparison of oral midazolam and oral ketamine, **30**
Yuen MC, Tung WK. An uncommon cause of foot ulcer: tuberculous osteomyelitis, **140**
Yuen M-C *et al*. An easy method to reduce anterior shoulder dislocation: the Spaso technique, **370**

VOLUME 18 • SUBJECT INDEX

accident and emergency services, The Sheffield experiment: the effects of centralising accident and emergency services in a large urban setting, **193**
acetaminophen, Measuring plasma paracetamol concentrations in all patients with drug overdose or altered consciousness: Does it change outcome?, **178**
activated charcoal, How feasible is it to conform to the European guidelines on administration of activated charcoal within one hour of an overdose?, **390**
acute myocardial infarction, Biochemical markers in the management of suspected acute myocardial infarction in the emergency department, **15**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **59**
adenosine, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **59**
air gun pellet, Cardiac air gun pellet injury, **519**
airway obstruction, Spontaneous supraglottic haemorrhage in a patient receiving warfarin sodium treatment, **406**
alcohol, Alcohol and radiographs in the accident and emergency department, **460**
Comparing two different methods of identifying alcohol related problems in the emergency department: a real chance to intervene?, **112**
alcohol health worker, Improving detection of alcohol misuse in patients presenting to an accident and emergency department, **99**
alcohol misuse, Improving detection of alcohol misuse in patients presenting to an accident and emergency department, **99**
ambulance, A survey of the perceived quality of patient handover by ambulance staff in the resuscitation room, **293**
ambulance arrivals, The pattern of ambulance arrivals in the emergency department of an acute care hospital in Singapore, **297**
ambulance service, An analysis of calls referred to the emergency 999 service by NHS Direct, **302**
Blue calls—time for a change?, **289**
anaesthesia, An observational survey of emergency department rapid sequence intubation, **343**
Foreign bodies in the nose and ear: *letter,* **523**
In patients with head injuries who undergo rapid sequence intubation using succinylcholine, does pretreatment with a competitive neuromuscular blocking agent improve outcome? A literature review, **373**
The interface between anaesthesia and emergency medicine: *editorial,* **325**
The use of pre-cannulation local anaesthetic and factors affecting pain perception in the emergency department setting, **175**
You can't anaesthetise patients—you are not employed as an anaesthetist: *letter,* **414**
anaphylactic reactions, Update on the emergency medical treatment of anaphylactic reactions for first medical responders and for community nurses, **393**
anaphylaxis, Anaphylaxis: quintessence, quarrels, and quandaries: *editorial,* **328**
ankle sprain, A randomised controlled trial to determine the effectiveness of double Tubigrip in grade 1 and 2 (mild to moderate) ankle sprains, **46**
anti-D immunoglobulin, Use of anti-D immunoglobulin in the treatment of threatened miscarriage in the accident and emergency department, **444**
antimicrobial therapy, Improving promptness of antibiotic treatment in meningococcal disease, **162**
aortic injury, Aortic injury review failed to mention the "osseous pinch": *letter,* **77**
appendicitis, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **208**
arterial puncture, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **376**
arthritis, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **208**
arthrosonography, Magnetic resonance imaging as the primary imaging modality in children presenting with acute non-traumatic hip pain, **25**
asphyxiation, Two cases of near asphyxiation in children, using non-releasing plastic garden ties, **229**
aspiration needle, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **208**
aspirin, Pre-hospital aspirin for suspected myocardial infarction and acute coronary syndromes: A headache for paramedics?, **478**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **59**
assault, Trends in community violence in England and Wales 1995–1998: an accident and emergency department perspective, **105**
asthma, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **59**
ATLS course, The ATLS course, a survey of 228 ATLS providers, **55**
avascular necrosis, Traumatic asymmetrical bilateral hip dislocation in an adult, **506**

bag-valve-mask, Emergency airway management by non-anaesthesia house officers—a comparison of three strategies, **90**
best evidence topic reports, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **59, 116, 208, 270, 376, 462**
bilateral spontaneous pneumothorax, Bilateral spontaneous pneumothorax—the case for prompt chest radiography, **145**
blood gas analysis, Venous pH can safely replace arterial pH in the initial evaluation of patients in the emergency department, **340**
bougies, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **376**
Brown-Sequard syndrome, A case of Brown-Sequard syndrome with associated Horner's syndrome after blunt injury to the cervical spine, **512**
burns, Burns and scalds in pre-school children attending accident and emergency: accident or abuse?, **172**
Treatment before transfer: the patient with burns, **349**

calcaneum, A misdiagnosed fracture of the calcaneum, **145**
capillary blood gases, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **116**
carbon monoxide, Acute carbon monoxide intoxication during pregnancy. One case report and review of the literature, **399**
carbon monoxide poisoning, Carbon monoxide poisoning: correlation of neurological findings between accident and emergency departments and a hyperbaric unit, **95**
cardiac arrest, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **59**
cardiac chest pain, Emergency management of cardiac chest pain: a review: *review,* **6**
cardiac enzyme, Biochemical markers in the management of suspected acute myocardial infarction in the emergency department, **15**
cervical collars, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **376**
cervical spine, Clearing the cervical spine in the unconscious trauma patient: *letter,* **233**
cervical trauma, A case of Brown-Sequard syndrome with associated Horner's syndrome after blunt injury to the cervical spine, **512**
chemical toxicants, The therapeutic potential of regulated hypothermia: *review,* **81**
chest pain, Is a chest pain observation unit likely to be cost saving in a British hospital?, **11**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **59**
chest pain observation units, Chest pain observation units: *letter,* **148**
Chest pain observation units: *letter,* **148**
What future for chest pain observation units?: *editorial,* **3**
child, Burns and scalds in pre-school children attending accident and emergency: accident or abuse?, **172**
Improving promptness of antibiotic treatment in meningococcal disease, **162**
Intranasal midazolam. An alternative in childhood seizures: *letter,* **234**
Pancreatic trauma in a child, **146**
The association between deprivation levels, attendance rate and triage category of children attending a children's accident and emergency department, **110**
Two cases of near asphyxiation in children, using non-releasing plastic garden ties, **229**
children, A comparison of intramuscular ketamine with high dose intramuscular midazolam with and without intranasal flumazenil in children before suturing, **34**
Accident and emergency services for children within Trent region, **164**
Intravenous ketamine plus midazolam is superior to intranasal midazolam for emergency paediatric procedural sedation, **39**
Magnetic resonance imaging as the primary imaging modality in children presenting with acute non-traumatic hip pain, **25**
Pain in young children attending the accident and emergency department: *letter,* **412**
Sedation for children requiring wound repair: a randomised controlled double blind comparison of oral midazolam and oral ketamine, **30**
Sports related fractures in children in north east England, **167**
chronic obstructive pulmonary disease, Emergency oxygen therapy for the COPD patient: *review,* **333**
CKMB mass, Biochemical markers in the management of suspected acute myocardial infarction in the emergency department, **15**
clinical images, A new system for digital image acquisition, storage and presentation in an accident and emergency department, **255**

Clostridium novyi, Clostridium novyi infection: a fatal association with injecting drug users, **138**
coin, Extraluminal migration of a coin in the oesophagus of a child misdiagnosed as asthma, **312**
combitube, Emergency airway management by non-anaesthesia house officers—a comparison of three strategies, **90**
communication, Communication skills training for emergency department doctors: *letter,* **234**
compression bandage, A randomised controlled trial to determine the effectiveness of double Tubigrip in grade 1 and 2 (mild to moderate) ankle sprains, **46**
computer based system, A new system for digital image acquisition, storage and presentation in an accident and emergency department, **255**
consent, The problem of informed consent in emergency medicine research, **198**
convulsions, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **116**
corneal abrasion, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **270**
correspondence, The e-future of the *EMJ*: *editorial,* **420**
corticosteroids, The problem of informed consent in emergency medicine research, **198**
cost analysis, Is a chest pain observation unit likely to be cost saving in a British hospital?, **11**
costs, The Sheffield experiment: the effects of centralising accident and emergency services in a large urban setting, **193**
coxa vara, An unusual cause of a limp in a child: developmental coxa vara, **314**
critical care, A&E/ICU interface: training in intensive care medicine, **330**
Improving the care of the seriously ill patient: the interface between the accident and emergency department and critical care areas: *editorial,* **326**
croup, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **116**

death, Death with dignity in the accident and emergency short stay ward: *letter,* **76**
decision making, Article 5. Strategic decision making, motivation theory, and junior doctor interviews, **471**
deep vein thrombosis, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **116**
defibrillation, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **116**
deliberate self harm, The psychosocial assessment of deliberate self harm: using clinical audit to improve the quality of the service, **448**
dental extraction, Pneumomediastinum secondary to dental extraction, **517**
dentistry, Epidural abscess after dental extraction, **231**
deprivation category, The association between deprivation levels, attendance rate and triage category of children attending a children's accident and emergency department, **110**
diagnosis, Presentation of severe haemophilia—A role for accident and emergency doctors?, **246**
diagnostic errors, Diagnostic errors in an accident and emergency department, **263**
diamorphine, Intranasal diamorphine in adults: *letter,* **412**
digital nerve block, An avoidable complication of digital nerve block, **316**
dissection, Dissection or embolism, **502**
double Tubigrip, A randomised controlled trial to determine the effectiveness of double Tubigrip in grade 1 and 2 (mild to moderate) ankle sprains, **46**
drowning, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **462**
drug misuse, Clostridium novyi infection: a fatal association with injecting drug users, **138**

emergencies, The pattern of ambulance arrivals in the emergency department of an acute care hospital in Singapore, **297**
emergency 999 calls, An analysis of calls referred to the emergency 999 service by NHS Direct, **302**
emergency airway management, Emergency airway management in a case of lingual haematoma, **408**
emergency care, Dealing with emergencies in rural areas of Europe: proceedings from WONCA Europe 2000, **305**
Emergency care—in and out of hospital: *editorial,* **235**
emergency department use, Repeated use of the emergency department: qualitative study of the patient's perspective, **430**
emergency medicine, Emergency medicine or accident and emergency?: *letter,* **412**
emergency nurses, Establishing an emergency nurse practitioner service, **186**
endotracheal intubation, Hypopharyngeal perforation: an uncommon cause of pneumoperitoneum, **396**
epidural abscess, Epidural abscess after dental extraction, **231**
Epidural abscess misdiagnosed as cholecystitis, **230**
epistaxis, Controlling epistaxis with an improvised device, **518**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **208**
ethics, The problem of informed consent in emergency medicine research, **198**
extradural haematoma, Posterior cranial fossa venous extradural haematoma: an uncommon form of intracranial injury, **496**
extraluminal migration, Extraluminal migration of a coin in the oesophagus of a child misdiagnosed as asthma, **312**

facilities, Accident and emergency services for children within Trent region, **164**
fireworks, Fireworks related injuries: does changing legislation make a difference? A thought for next Hallowe'en: *letter,* **232**
first rib fracture, Two cases of isolated first rib fracture, **498**
fluoroscopy, Clearing the cervical spine in the unconscious trauma patient: *letter,* **233**
fracture, A misdiagnosed fracture of the calcaneum, **145**
Sports related fractures in children in north east England, **167**
fractures, The Ottawa Ankle Rules and missed fractures of the talus, **521**

gamma hydroxybutyrate, Traumatic brain injury after a motor vehicle accident: Fact or "fantasy"?, **458**
gastric regurgitation, Emergency airway management by non-anaesthesia house officers—a comparison of three strategies, **90**
general practice, Dealing with emergencies in rural areas of Europe: proceedings from WONCA Europe 2000, **305**
general practitioner services, The immediate impact of the availability of general practitioner services on emergency department presentations: *letter,* **321**

haematoma, Collapse, hoarseness of the voice and swelling and bruising of the neck: an unusual presentation of thoracic aortic dissection, **508**
haemophilia, Presentation of severe haemophilia—A role for accident and emergency doctors?, **246**
handover, A survey of the perceived quality of patient handover by ambulance staff in the resuscitation room, **293**
head injury, In patients with head injury undergoing rapid sequence intubation, does pretreatment with intravenous lignocaine/lidocaine lead to an improved neurological outcome? A review of the literature, **453**
Mild head injury with isolated third nerve palsy, **310**
The problem of informed consent in emergency medicine research, **198**
Who cares for the patient with head injury now?, **352**
Why do children vomit after head injury?: *letter,* **234**
hip dislocation, Traumatic asymmetrical bilateral hip dislocation in an adult, **506**
hip pain, An unusual cause of hip pain in a child, **320**
Magnetic resonance imaging as the primary imaging modality in children presenting with acute non-traumatic hip pain, **25**
HIV, Post-exposure prophylaxis for HIV infection after sexual assault: When is it indicated?, **242**
hoarseness, Collapse, hoarseness of the voice and swelling and bruising of the neck: an unusual presentation of thoracic aortic dissection, **508**
hospital admission, Admission avoidance and early discharge of acute hospital admissions: an accident and emergency based scheme, **435**
Is a chest pain observation unit likely to be cost saving in a British hospital?, **11**
hospital discharge, Admission avoidance and early discharge of acute hospital admissions: an accident and emergency based scheme, **435**
hyperbaric oxygen, Carbon monoxide poisoning: correlation of neurological findings between accident and emergency departments and a hyperbaric unit, **95**
hyperkalaemia, Treatment of hyperkalaemia in the emergency department: *letter,* **233**
hypopharyngeal perforation, Hypopharyngeal perforation: an uncommon cause of pneumoperitoneum, **396**
hypothesis testing, Article 6. An introduction to hypothesis testing. Parametric comparison of two groups—1, **124**
Article 7. An introduction to hypothesis testing. Parametric comparison of two groups—2, **214**

immediate care services, Will alternative immediate care services reduce demands for non-urgent treatment at accident and emergency?, **482**
injury, Trends in community violence in England and Wales 1995–1998: an accident and emergency department perspective, **105**
inpatient care, Who cares for the patient with head injury now?, **352**
intensive care medicine, A&E/ICU interface: training in intensive care medicine, **330**
intracranial arachnoid cysts, An unusual case of subdural haematoma presenting to the accident and emergency department, **308**
intracranial injury, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **462**

intranasal flumazenil, A comparison of intramuscular ketamine with high dose intramuscular midazolam with and without intranasal flumazenil in children before suturing, **34**
intranasal midazolam, Intranasal midazolam. An alternative in childhood seizures: *letter*, **234**
Intravenous ketamine plus midazolam is superior to intranasal midazolam for emergency paediatric procedural sedation, **39**
intravenous ketamine, Intravenous ketamine plus midazolam is superior to intranasal midazolam for emergency paediatric procedural sedation, **39**
inversion injury, Acute myelogenous leukaemia presenting with mid-foot pain after an inversion injury, **143**
ischaemia, The therapeutic potential of regulated hypothermia: *review*, **81**

journal scan, Journal scan, **71, 135, 225, 285, 386, 475**

ketamine, A comparison of intramuscular ketamine with high dose intramuscular midazolam with and without intranasal flumazenil in children before suturing, **34**
Sedation for children requiring wound repair: a randomised controlled double blind comparison of oral midazolam and oral ketamine, **30**

laryngeal disease, Spontaneous supraglottic haemorrhage in a patient receiving warfarin sodium treatment, **406**
laryngeal mask airway, Emergency airway management by non-anaesthesia house officers—a comparison of three strategies, **90**
laryngoscopy, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **376**
laryngotracheal separation, Laryngotracheal separation with pneumopericardium after a blunt trauma to the neck, **410**
Lazarus phenomenon, The Lazarus phenomenon following recreational drug use, **74**
left ventricular failure, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **59**
leukaemia, Acute myelogenous leukaemia presenting with mid-foot pain after an inversion injury, **143**
lidocaine, In patients with head injury undergoing rapid sequence intubation, does pretreatment with intravenous lignocaine/lidocaine lead to an improved neurological outcome? A review of the literature, **453**
The use of pre-cannulation local anaesthetic and factors affecting pain perception in the emergency department setting, **175**
lignocaine, In patients with head injury undergoing rapid sequence intubation, does pretreatment with intravenous lignocaine/lidocaine lead to an improved neurological outcome? A review of the literature, **453**
The use of pre-cannulation local anaesthetic and factors affecting pain perception in the emergency department setting, **175**
lingual haematoma, Emergency airway management in a case of lingual haematoma, **408**

magnetic resonance imaging, Magnetic resonance imaging as the primary imaging modality in children presenting with acute non-traumatic hip pain, **25**
manubriosternal joint dislocation, Manubriosternal joint dislocation in contact sport, **488**
mathematic model, Mathematical modelling of patient flow through an accident and emergency department, **190**
mediastinum, The mediastinum—Is it wide?, **183**
medical appliances, The economics of appliance—a study of appliance loan in accident and emergency departments: *letter*, **523**
meningococcal infection, Improving promptness of antibiotic treatment in meningococcal disease, **162**
mentoring, Mentoring senior house officers. Is there a role for middle grade doctors?, **259**
metabolic acidosis, Toluene induced hypokalaemia: case report and literature review, **514**
metatarsal bones, An uncommon cause of foot ulcer: tuberculous osteomyelitis, **140**
midazolam, A comparison of intramuscular ketamine with high dose intramuscular midazolam with and without intranasal flumazenil in children before suturing, **34**
Sedation for children requiring wound repair: a randomised controlled double blind comparison of oral midazolam and oral ketamine, **30**
miscarriage, Use of anti-D immunoglobulin in the treatment of threatened miscarriage in the accident and emergency department, **444**
motivation theory, Article 5. Strategic decision making, motivation theory, and junior doctor interviews, **471**
myocardial infarction, Is a chest pain observation unit likely to be cost saving in a British hospital?, **11**
Pre-hospital aspirin for suspected myocardial infarction and acute coronary syndromes: A headache for paramedics?, **478**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **116**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **270**
myocardial ischaemia, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **462**
myoglobin, Biochemical markers in the management of suspected acute myocardial infarction in the emergency department, **15**

naltrexone, Unintentional rapid opioid detoxification, **494**
needle embolus, Right ventricular needle embolus in an injecting drug user: the need for early removal, **500**
neurological examination, Carbon monoxide poisoning: correlation of neurological findings between accident and emergency departments and a hyperbaric unit, **95**
neuromuscular blocking agent, In patients with head injuries who undergo rapid sequence intubation using succinylcholine, does pretreatment with a competitive neuromuscular blocking agent improve outcome? A literature review, **373**
NHS Direct, An analysis of calls referred to the emergency 999 service by NHS Direct, **302**
The effect of the introduction of NHS Direct on requests for telephone advice from an accident and emergency department, **300**
Will alternative immediate care services reduce demands for non-urgent treatment at accident and emergency?, **482**
NHS Plan, The NHS Plan—the sound of cavalry or zebras?: *editorial*, **1**
non-accidental injury, Burns and scalds in pre-school children attending accident and emergency: accident or abuse?, **172**
non-invasive ventilation, The role of non-invasive ventilation in the emergency department: *letter*, **413**
The role of non-invasive ventilation in the emergency department: *letter*, **413**
The role of non-invasive ventilation in the emergency department: *letter*, **413**
nuclear medicine, The use of nuclear medicine techniques in the emergency department: *review*, **424**
nurse practitioners, Can nurse practitioners offer a quality service?: *letter*, **523**

observation ward, Who cares for the patient with head injury now?, **352**
oculomotor nerve palsy, Mild head injury with isolated third nerve palsy, **310**
oesophageal carcinoma, Emergency presentation of oesophageal carcinoma. An unusual case, **142**
open chest cardiac compression, Open chest cardiac compression: *letter*, **322**
operational managment, Article 2 Strategy to every day operational management, **222**
ophthamology, Popped eye (blunt trauma leading to penetrating eye injury and lens displacement in the pseudophakic eye), **510**
opioids, Unintentional rapid opioid detoxification, **494**
orthopaedic manipulation, Traumatic asymmetrical bilateral hip dislocation in an adult, **506**
osseous pinch, Aortic injury review failed to mention the "osseous pinch": *letter*, **77**
osteomyelitis, An uncommon cause of foot ulcer: tuberculous osteomyelitis, **140**
otitis media, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **116**
Ottawa Ankle Rules, The Ottawa Ankle Rule: *letter*, **147**
The Ottawa Ankle Rules and missed fractures of the talus, **521**
overdose, How feasible is it to conform to the European guidelines on administration of activated charcoal within one hour of an overdose?, **390**
Measuring plasma paracetamol concentrations in all patients with drug overdose or altered consciousness: Does it change outcome?, **178**
Tricyclic antidepressant overdose: a review: *review*, **236**
oxygen therapy, Emergency oxygen therapy for the breathless patient. Guidelines prepared by North West Oxygen Group: *review*, **421**
Emergency oxygen therapy for the COPD patient: *review*, **333**

Paddington Alcohol Test, Improving detection of alcohol misuse in patients presenting to an accident and emergency department, **99**
paediatric analgesia, Improving the delivery of analgesia to children in pain, **159**
paediatrics, Paediatric emergency medicine: Do we need George Clooney?: *editorial*, **157**
pain, Pain in young children attending the accident and emergency department: *letter*, **412**
Pain management: *letter*, **321**
The minimum clinically significant difference in visual analogue scale pain score does not differ with severity of pain, **205**
pain relief, Improving the delivery of analgesia to children in pain, **159**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **270**
pancreas, Pancreatic trauma in a child, **146**
paracetamol, Measuring plasma paracetamol concentrations in all patients with drug overdose or altered consciousness: Does it change outcome?, **178**
parotid gland, Blunt trauma to the parotid gland, **402**

patient care, Death with dignity in the accident and emergency short stay ward: *letter,* **76**
patient flow, Mathematical modelling of patient flow through an accident and emergency department, **190**
patient satisfaction, Should ambulant patients be directed to reception or triage first?, **441**
patients' perspective, Repeated use of the emergency department: qualitative study of the patient's perspective, **430**
physostigmine, Physostigmine as treatment for severe CNS anticholinergic toxicity: *letter,* **412**
plastic garden ties, Two cases of near asphyxiation in children, using non-releasing plastic garden ties, **229**
pneumatic anti-shock garments, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **270**
pneumomediastinum, Pneumomediastinum secondary to dental extraction, **517**
pneumopericardium, Laryngotracheal separation with pneumopericardium after a blunt trauma to the neck, **410**
poisoning, How feasible is it to conform to the European guidelines on administration of activated charcoal within one hour of an overdose?, **390**
polydipsic hyponatraemia, Rhabdomyolysis and polydipsic hyponatraemia, **520**
position statement, Position statement number 1: *editorial,* **329**
position statements, Position statements: *editorial,* **329**
post-exposure prophylaxis, Post-exposure prophylaxis for HIV infection after sexual assault: When is it indicated?, **242**
potassium, Toluene induced hypokalaemia: case report and literature review, **514**
predictive value, Measuring plasma paracetamol concentrations in all patients with drug overdose or altered consciousness: Does it change outcome?, **178**
pregnancy, Acute carbon monoxide intoxication during pregnancy. One case report and review of the literature, **399**
pre-hospital care, The use of the spinal board after the pre-hospital phase of trauma management, **51**
prognosis, Measuring plasma paracetamol concentrations in all patients with drug overdose or altered consciousness: Does it change outcome?, **178**
propofol, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **376**

qualitative study, Repeated use of the emergency department: qualitative study of the patient's perspective, **430**
quality indicators, The Sheffield experiment: the effects of centralising accident and emergency services in a large urban setting, **193**

radiography, Alcohol and radiographs in the accident and emergency department, **460**
Diagnostic errors in an accident and emergency department, **263**
The mediastinum—Is it wide?, **183**
rapid sequence induction, Survey of the use of rapid sequence induction in the accident and emergency department: *letter,* **232**
rapid sequence intubation, An observational survey of emergency department rapid sequence intubation, **343**
In patients with head injury undergoing rapid sequence intubation, does pretreatment with intravenous lignocaine/lidocaine lead to an improved neurological outcome? A review of the literature, **453**
Prehospital rapid sequence induction by emergency physicians: Is it safe?, **20**
recreational drug use, The Lazarus phenomenon following recreational drug use, **74**
recurrent endocarditis, Right ventricular needle embolus in an injecting drug user: the need for early removal, **500**
renal colic, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **462**
research methods, A new way of demonstrating how close the evidence is to the question you asked: *editorial,* **419**
Respi-check mask, The clinical evaluation of the Respi-check mask: a new oxygen mask incorporating a breathing indicator, **366**
rhabdomyolysis, Rhabdomyolysis and polydipsic hyponatraemia, **520**
rhesus prophylaxis, Use of anti-D immunoglobulin in the treatment of threatened miscarriage in the accident and emergency department, **444**
rib fracture, Isolated fracture of the first rib without associated injuries: a case report, **315**
right ventricle, Right ventricular needle embolus in an injecting drug user: the need for early removal, **500**
rural, Dealing with emergencies in rural areas of Europe: proceedings from WONCA Europe 2000, **305**

saddle myxoma, Dissection or embolism, **502**
saliva alcohol tests, Saliva alcohol concentrations in accident and emergency attendances, **250**
screening, Measuring plasma paracetamol concentrations in all patients with drug overdose or altered consciousness: Does it change outcome?, **178**
sedation, Intravenous ketamine plus midazolam is superior to intranasal midazolam for emergency paediatric procedural sedation, **39**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **270**
seizures, Intranasal midazolam. An alternative in childhood seizures: *letter,* **234**
self harm, The millennium celebrations, deliberate self harm. Our experience: *letter,* **76**
service re-organisation, The Sheffield experiment: the effects of centralising accident and emergency services in a large urban setting, **193**
sesamoid bone, Hallucal sesamoid bone stress fracture; 21st century "club foot", **318**
sexual assault, Post-exposure prophylaxis for HIV infection after sexual assault: When is it indicated?, **242**
shoulder dislocation, An easy method to reduce anterior shoulder dislocation: the Spaso technique, **370**
Hands up: a case of bilateral inferior shoulder dislocation, **404**
Three generations of recurrent dislocated shoulders: *letter,* **148**
simulated managment, Article 1. Introduction—St Jude's, the "virtual" A&E department, **131**
Spaso technique, An easy method to reduce anterior shoulder dislocation: the Spaso technique, **370**
spinal board, The use of the spinal board after the pre-hospital phase of trauma management, **51**
spinal board, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **376**
spinal immobilisation, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **270**
splenic rupture, Occult splenic injury: delayed presentation manifesting as jaundice, **504**
sport, Manubriosternal joint dislocation in contact sport, **488**
Sports related fractures in children in north east England, **167**
statistics, Article 5. An introduction to estimation—2: from z to *t*, **65**
Article 6. An introduction to hypothesis testing. Parametric comparison of two groups—1, **124**
Article 7. An introduction to hypothesis testing. Parametric comparison of two groups—2, **214**
Article 8. An introduction to hypothesis testing. Non-parametric comparison of two groups—1, **276**
status epilepticus, Status epilepticus in accident and emergency: a difficult case, **492**
stress fracture, Hallucal sesamoid bone stress fracture; 21st century "club foot", **318**
stroke, The therapeutic potential of regulated hypothermia: *review,* **81**
subarachnoid haemorrhage, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **270**
subcutaneous emphysema, Subcutaneous emphysema of upper limb, **522**
subdural haematoma, An unusual case of subdural haematoma presenting to the accident and emergency department, **308**
suicide risk, The psychosocial assessment of deliberate self harm: using clinical audit to improve the quality of the service, **448**
suturing, A comparison of intramuscular ketamine with high dose intramuscular midazolam with and without intranasal flumazenil in children before suturing, **34**
Sedation for children requiring wound repair: a randomised controlled double blind comparison of oral midazolam and oral ketamine, **30**

teaching, Teaching and learning, **451**
team structure, Article 4. Team structure, waiting time and a psychotic patient is banging on your door, **382**
telephone advice, The effect of the introduction of NHS Direct on requests for telephone advice from an accident and emergency department, **300**
temperature regulation, The therapeutic potential of regulated hypothermia: *review,* **81**
tension pneumocephalus, Tension pneumocephalus attributable to an ethmoid osteoma presenting as a stroke in evolution: an unusual presentation, **317**
tension pneumothorax, Tension pneumothorax: a difficult diagnosis, **319**
terminology, Emergency medicine terminology in the United Kingdom—time to follow the trend?: *review,* **79**
thoracic aortic dissection, Collapse, hoarseness of the voice and swelling and bruising of the neck: an unusual presentation of thoracic aortic dissection, **508**
tidal volume, Emergency airway management by non-anaesthesia house officers—a comparison of three strategies, **90**
toluene, Toluene induced hypokalaemia: case report and literature review, **514**
topical analgesia, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **208**
toxicology, Toxicological screening in trauma: *letter,* **147**
training, A&E/ICU interface: training in intensive care medicine, **330**
Dealing with emergencies in rural areas of Europe: proceedings from WONCA Europe 2000, **305**
trauma, Alcohol and radiographs in the accident and emergency department, **460**
Blunt trauma to the parotid gland, **402**
Dealing with emergencies in rural areas of Europe: proceedings from WONCA Europe 2000, **305**

The use of the spinal board after the pre-hospital phase of trauma management, **51**
Toxicological screening in trauma: *letter,* **147**
triage, Should ambulant patients be directed to reception or triage first?, **441**
triage category, The association between deprivation levels, attendance rate and triage category of children attending a children's accident and emergency department, **110**
tricyclic antidepressant, Tricyclic antidepressant overdose: a review: *review,* **236**
troponin T, Biochemical markers in the management of suspected acute myocardial infarction in the emergency department, **15**
tuberculosis, An uncommon cause of foot ulcer: tuberculous osteomyelitis, **140**
TB or not TB: an unusual sore finger, **490**
tuberculous dactylitis, TB or not TB: an unusual sore finger, **490**

ultrasound, Bedside emergency department ultrasound: *letter,* **76**
Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **208**
upper limb, Subcutaneous emphysema of upper limb, **522**
urinary tract infection, Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary, **462**

venous pH, Venous pH can safely replace arterial pH in the initial evaluation of patients in the emergency department, **340**
visual analogue scale, The minimum clinically significant difference in visual analogue scale pain score does not differ with severity of pain, **205**
vomiting, Why do children vomit after head injury?: *letter,* **234**

waiting time, Article 4. Team structure, waiting time and a psychotic patient is banging on your door, **382**
walk in arrivals, The pattern of ambulance arrivals in the emergency department of an acute care hospital in Singapore, **297**
warfarin, Spontaneous supraglottic haemorrhage in a patient receiving warfarin sodium treatment, **406**
world wide web, Welcome to the *EMJ* and to EMJonline.com: *editorial,* **5**